

SATURN



Version 11.1 Manual

March 2012

Version 11.1.09



Dirck Van Vliet

ATKINS

SATURN

**Simulation and
Assignment of
Traffic in
Urban
Road
Networks**

Manual - Version 11.1

March 2012

Version 11.1.09

Contents

<i>Section</i>	<i>Page</i>
1. Introduction	1-1
1.1 The Function of SATURN	1-1
1.2 Hardware / Software Requirements	1-3
1.3 Documentation	1-4
1.4 Distribution of SATURN	1-5
1.5 Contents of the Suite	1-6
1.6 Version Control	1-7
2. The SATURN Suite – An Overview	2-1
2.1 The Structure of Assignment Models	2-1
2.2 Trip Matrices in SATURN	2-3
2.3 Networks in SATURN	2-4
2.4 Route Choice in SATURN	2-5
2.5 Analysis in SATURN	2-6
2.6 General Advice on Using SATURN	2-6
2.7 Getting Started; Example Files	2-7
2.8 Text Files, Fixed Columns, Text Editors and Word Processors	2-8
2.9 Errors and Warnings: Fatal, Non-Fatal and Serious	2-10
2.10 Version Control	2-12
3. The Basic SATURN Model	3-1
3.1 The Network Model Structure	3-1
3.2 Data Requirements	3-4
3.3 File Name Conventions	3-5
3.4 32-Bit SATURN Versions	3-7
3.5 Running Programs Under DOS (or Command Prompt)	3-8
3.6 Running Programs under WINDOWS: SATWIN	3-8
3.7 Version Control	3-27
4. Creating an Origin-Destination Matrix File	4-1
4.1 Trip Matrices using M1 or MXM1	4-1
4.2 Important Trip Matrix Definitions	4-3
4.3 Further Notes on Trip Matrices	4-4
4.4 Alternative Matrix Formats using M1/ MXM1	4-5
4.5 Version Control	4-6
5. Network Coding – A General Description	5-1
5.1 Simulation Networks	5-1
5.2 Buffer Networks	5-13
5.3 Defining the Buffer Network	5-14
5.4 Capacity Restraint in the Buffer Network	5-15
5.5 Assignment and Map Networks	5-17
5.6 Building Networks: The Beginner's Guide	5-20

5.7	Geographical Information System (GIS) Data	5-25
5.8	User and Vehicle Classes	5-30
5.9	Version Control	5-32
6.	Preparation of a Network Data File	6-1
6.1	Option Specification Records (Mandatory)	6-2
6.2	Network Title (Mandatory)	6-4
6.3	Parameter Specification Records (Mandatory)	6-5
6.4	Simulation Network: the '11111' Records	6-24
6.5	Simulation Centroid Connector Data: the '22222' Records	6-51
6.6	The Buffer Network/Link Data: the '33333' Records	6-52
6.7	Restricted Turns and Links: the '44444' Records	6-54
6.8	Node and Zone Co-ordinates/Supplementary Data: the '55555' Records	6-56
6.9	Fixed Routes (E.g. Buses): the '66666' Records	6-58
6.10	Counts of Link and/or Turning Volumes: the '77777' Records	6-64
6.11	Generalised Costs and/or Matrix Weights for Multiple User Classes: the '88888' Records	6-65
6.12	Fatal Errors and NAFF UFN Files	6-68
6.13	Extra Input Network File: the X-File	6-69
6.14	Specimen File	6-72
6.15	FIFO, TOPUP and DOUBLE – Options for Repeated Data Input	6-73
6.16	SATNET Files	6-76
6.17	Version Control	6-78
7.	Assignment – The Role of SATEASY/SATALL	7-1
7.1	Wardrop Equilibrium Assignment	7-1
7.2	Stochastic User Equilibrium (SUE) Assignment	7-9
7.3	Multiple User Class Assignment	7-15
7.4	Joint Equilibrium Assignment and Variable Demand Models	7-18
7.5	SDM Assignment:	7-30
7.6	More Complex Elastic Assignment Models	7-43
7.7	Elastic Demand Functional Forms	7-49
7.8	Defining the Reference Trip and Cost Matrices	7-55
7.9	Multiple User Class Elastic Assignment	7-65
7.10	Combined Distribution and Assignment Models	7-66
7.11	Miscellaneous Assignment Procedures	7-69
7.12	Running SATEASY: A single elastic run	7-79
7.13	SATEASY: Technical Specifications	7-83
7.14	Version Control	7-85
8.	Simulation – The Role of SATSIM	8-1
8.1	Basic Principles: Cyclical Flow Profiles	8-1
8.2	Accept Profiles and Capacities	8-4
8.3	Internal Simulation Iterations and Convergence	8-12
8.4	Simulation Delays, Queues and Flow-Delay Curves	8-15
8.5	Blocking Back	8-27
8.6	Random Delays and Queues (LRTP)	8-34
8.7	Modelling Roundabouts	8-38

8.8	Lane Choice Modelling	8-40
8.9	Simulation Network Capacities	8-48
8.10	SATSIM: Technical Specifications	8-55
8.11	Version Control	8-57
9.	Assignment / Simulation Loops – The Role of SATALL	9-1
9.1	General Principles	9-1
9.2	Monitoring Convergence	9-3
9.3	Averaging Flows: The Use of KOMBI and AUTOK	9-10
9.4	Continuing a Previous Assignment (The DIDDLE Option)	9-13
9.5	Making Convergence Easier	9-14
9.6	Elastic Assignment/Simulation Loops	9-19
9.7	SATALL: General Functions	9-20
9.8	SATALL Run-time Convergence Statistics	9-20
9.9	SATALL Convergence Statistics: Full Line Printer Listings	9-21
9.10	Elastic Assignment within SATALL	9-25
9.11	Multiple User Class Assignment within SATALL	9-26
9.12	Special SATALL Extensions	9-26
9.13	The SATALL Batch Procedure	9-28
9.14	The SATURN Batch Procedure	9-29
9.15	SATALL: Technical specifications	9-30
9.16	Version Control	9-32
10.	MX: Interactive Matrix Manipulation	10-1
10.1	Synopsis	10-1
10.2	Matrix Files: General Properties	10-4
10.3	MX File Structure	10-9
10.4	Copy/Transpose/Re-code an Input UFM File; Re-defining Zones	10-10
10.5	Matrix Input and/or Updating from a .DAT File	10-13
10.6	Select Options	10-22
10.7	Matrix Factoring	10-23
10.8	Matrix Manipulation	10-30
10.9	Statistical Analysis	10-34
10.10	Viewing and/or Editing Matrix Elements	10-35
10.11	Viewing Row and Column Totals	10-37
10.12	Matrix Graphics	10-37
10.13	Printing a complete matrix to a line printer	10-38
10.14	Printing/Dumping Row and Column Totals	10-38
10.15	Dumping a Matrix to an ASCII .DAT (Text) File	10-39
10.16	Output UFM Matrices	10-42
10.17	Stacking and Unstacking Matrices	10-43
10.18	Matrix Demand Calculations	10-44
10.19	The MX Box of Clever Tricks	10-44
10.20	Useful Matrix Batch Files	10-46
10.21	Version Control	10-52
11.	P1X: Interactive Analysis of Results	11-1

11.1	Introduction	11-1
11.2	Network Plotting (P1X): The Master Menu	11-1
11.3	System/device Definitions	11-2
11.4	P1X External File Control	11-9
11.5	The Network Window	11-12
11.6	Basic Network Display	11-16
11.7	Validation Options	11-37
11.8	P1X Analysis Functions	11-41
11.9	P1X Editing Facilities	11-56
11.10	SATDB: Data Base Facilities	11-74
11.11	SATLOOK: Interactive Text Outputs	11-94
11.12	Node Editing and Graphical Display (SATED)	11-101
11.13	Graphical Network Cordoning	11-105
11.14	Pure Matrix Graphics	11-108
11.15	Convergence Statistics	11-109
11.16	P1X: Technical Specifications	11-109
11.17	SATLOOK: Technical Specifications	11-110
11.18	SATDB: Technical Specification	11-111
11.19	SATED: Technical Specification of Files	11-112
11.20	Version Control	11-114
12.	Supplementary Programs	12-1
12.1	Network Cordoning (SATCH)	12-1
12.2	Optimum Offsets (SATOFF)	12-13
12.3	Direct Examination of UF Files (DALOOK)	12-17
12.4	Direct Comparison of UF Files (DACHEX)	12-17
12.5	Transferring UF files (DADUMP and DALOAD)	12-17
12.6	SATPIG: Generating Route Flows	12-18
12.7	SATDYSK - Dynamic Time Skims	12-21
12.8	Version Control	12-25
13.	Deriving O-D Matrices from Traffic Counts (SATME2)	13-1
13.1	Introduction to SATME2	13-1
13.2	Matrix Estimation Data Requirements	13-16
13.3	Advice on Using SATME2 and Extra Options	13-26
13.4	Updating Multiple User Class O-D Matrices	13-38
13.5	SATME2 Technical Specifications	13-46
13.6	SATPIJA - Technical Specifications	13-47
13.7	SATU2 - Selected Link Matrices	13-49
13.8	"ME2" Output Files	13-50
13.9	Version Control	13-52
14.	Control Procedures (DOS Batch Files)	14-1
14.1	Introduction to Control Procedures / Command Lines	14-1
14.2	File Specification within Control Procedures	14-2
14.3	The 'SATURN' Procedures	14-5
14.4	Extended SATURN Procedures	14-6

14.5	“LOG”, “KEY” and “VDU” Files: Running Interactive Programs “Off-line”	14-8
14.6	Namelist Parameters Set on the Command Line	14-19
14.7	Command Line Options and Batch Procedures	14-19
14.8	Extended Command Line Files: Using .XCL Files	14-20
14.9	QUIET Command Lines	14-21
14.10	QUICK Command Lines	14-21
14.11	Create Your Own BATCH Files: A Beginners’ Guide	14-22
14.12	Version Control	14-24
15.	Special Options and Facilities	15-1
15.1	Network Aggregation and Simplification within Intermediate Bands	15-1
15.2	Preferences files	15-6
15.3	Network Updates (The Update Option)	15-7
15.4	Updating the Trip Matrix (The Re-start Facility)	15-8
15.5	Pre-Loading Fixed Flows (The “Plod” Option)	15-9
15.6	Comparing Assigned and Observed Flows: GEH Statistics	15-12
15.7	Use of SATURN Outside the U.K.	15-14
15.8	Using SATURN as a Conventional Assignment Model	15-15
15.9	Converting Conventional Speed-Flow Curves into SATURN Curves	15-18
15.10	The use of Crow-Fly Distances (The SHANDY Option)	15-26
15.11	Coding Combined Buffer and Simulation Networks	15-28
15.12	Automatic Network Coding (The AUTOX and AUTOZ Options)	15-29
15.13	Supplementary Data for Simulation Links Using Buffer Network Inputs	15-30
15.14	Extra Link Data (Knobs)	15-31
15.15	Node-Dependent Parameters: GAP, GAPM, NUC and LCY	15-35
15.16	Simulation Link Flows and Centroid Connectors	15-38
15.17	Pcu’s, Cars, Buses and Vehicles	15-39
15.18	Interpolating Routes	15-40
15.19	Select Link Analysis (SLA)	15-41
15.20	The Dutch Option (Long Node Numbers)	15-43
15.21	Referencing Data Arrays Via Dirck Access Codes	15-44
15.22	Choice of Gap Parameters	15-46
15.23	Re-constructing Assignment Routes: The SAVEIT Option and UFC Files	15-47
15.24	Alternative Link Costs and/or Times for Tree Building	15-57
15.25	Stochastic Trees	15-60
15.26	Trees, Forests and Arboreta	15-60
15.27	Skimming Trees and/or Forests	15-61
15.28	Variable Program Dimensions	15-70
15.29	Comment Cards and Blank Records in Data Files	15-71
15.30	The Use of Sub-Files within Data Files: \$INCLUDE	15-72
15.31	Setting “Optimum” Stage Green Times	15-73
15.32	Determining Fuel Consumption	15-79
15.33	Determining Emission Statistics	15-80
15.34	Estimating Primary and Secondary Stops	15-82
15.35	Altered Data Formats in .DAT Input Files	15-82
15.36	Turning Flows at Buffer Nodes	15-83

15.37	Repeated Assignments: Modelling Cold Starts, etc.	15-84
15.38	Non-discontinuous Speed-Flow Curves: the Kinky Option	15-84
15.39	Bus-only Lanes	15-85
15.40	Motorway Weaving Segments	15-86
15.41	SATTUBA	15-94
15.42	SATCOBA	15-98
15.43	Bitmaps within SATURN	15-103
15.44	Defining Bus Travel Times	15-108
15.45	Representing Walk / Pedestrian Networks	15-108
15.46	DBDUMP: Dumping Link Data to Text Files	15-109
15.47	CLICKS: Variable Free Flow Speeds by User Class	15-110
15.48	UNIQUE: Combined Queues within the Buffer Network	15-115
15.49	SATURN Summary Statistics Reporting Tool (SATSTAT)	15-115
15.50	SATMECC – Marginal Economic Consumer Costs	15-125
15.51	Running SATURN within DIADEM	15-130
15.52	Running SATURN in Parallel	15-131
15.53	SATURN Multi-Core Applications	15-134
15.54	SATURN CASSINI	15-140
15.55	QUIET & QUICK Options via SATWIN	15-148
15.56	Network Aggregation	15-149
15.57	Residual (Incorrect) Path Flows and Restricted Frank-Wolfe Algorithms	15-162
15.58	Error Listing Files	15-165
15.59	Version Control	15-167
16.	Simulation Network Coding Example	16-1
16.1	Traffic Signals	16-1
16.2	Roundabouts	16-3
16.3	Priority Junctions	16-5
16.4	External Nodes	16-7
16.5	Dummy Nodes	16-7
16.6	Simulation Centroid Connectors	16-9
16.7	Motorway Links	16-13
16.8	Version Control	16-15
17.	Multiple Time Period Modelling in SATURN	17-1
17.1	Treatment of Over-Capacity Junctions: General Principles	17-1
17.2	Actual and Demand Flow in SATURN Simulation	17-2
17.3	Linked Time Periods (The PASSQ Option)	17-3
17.4	Running Multiple Time Periods Using PASSQ: Simple Procedures	17-7
17.5	The SATSUMA Program	17-10
17.6	The Definition and Calculation of Queues and Delays	17-11
17.7	Junction-based Summary Statistics	17-14
17.8	Network-based Simulation Summary Statistic	17-1
17.9	Combined Simulation and Buffer Total Statistics	17-3
17.10	Delay-based Arrays in .ufs Files: Definitions	17-5
17.11	Formulae for Calculating Totals	17-6

17.12	Version Control	17-11
18.	Network Structure and Editing: PMAKE	18-1
18.1	Network data base structures	18-1
18.2	Network Editing	18-3
18.3	PMAKE - Network Building from Scratch	18-6
18.4	PMAKE: Editing Existing Networks	18-8
18.5	Node Editing within PMAKE	18-8
18.6	Link Editing within PMAKE	18-11
18.7	Simulation Centroid Connector Editing within PMAKE (11.9.4)	18-13
18.8	Capacity Indices on "New" Links	18-13
18.9	U-Turns at External Simulation Nodes	18-14
18.10	Disconnected Assignment Networks	18-16
18.11	Version Control	18-18
19.	Running SATURN Programs Interactively	19-18
19.1	Introduction	19-18
19.2	Graphics and Text Mode	19-2
19.3	Menus	19-2
19.4	Banner Menus	19-4
19.5	Menu Bars (P1X only)	19-5
19.6	Text Menus	19-6
19.7	Windows List Boxes	19-6
19.8	Setting Variables	19-7
19.9	Windows Screen Edit and Edit Box Inputs	19-7
19.10	Output Text Windows	19-8
19.11	The Help Facility (16-Bit)	19-8
19.12	Mouse-based Inputs	19-9
19.13	Version Control	19-10
20.	Modelling Road User Charges in SATURN	20-1
20.1	Introduction	20-1
20.2	The Role of Tolls in SATURN Modelling	20-1
20.3	Input of Charges (Tolls) in SATURN	20-2
20.4	Calculating and Reporting Charge/Toll Statistics	20-5
20.5	Examples of Charging Systems in SATURN	20-6
20.6	STOLL: Modelling Stochastic Values of Times of Tolls	20-7
20.7	Version Control	20-9
21.	Alternative Network Data Structures and Assignment Methods: Origin Based (OBA) and Path Based Assignment	21-9
21.1	Network Data Structures	21-9
21.2	Advantages and Disadvantages of OBA and Paths	21-3
21.3	Perturbation Assignment (WSTART and/or IPERT)	21-4
21.4	Storing Path Files: UFO and UFQ	21-6
21.5	Practical Restrictions within SATURN	21-6
21.6	Additional OBA Output Files	21-7

21.7	Practical Considerations	21-8
21.8	Examples of OBA Applications	21-9
21.9	Further Information	21-11
21.10	Version Control	21-12
22.	Kick Starts: Updating, Warm Starts and Continuation Techniques	22-1
22.1	Introduction to Kick Starts	22-1
22.2	Review of Traditional Kick Start Options	22-2
22.3	Warm Starts (WSTART = T)	22-4
22.4	WSTART with Topologically Identical Networks and Matrices	22-6
22.5	WSTART with Altered Networks and/or Matrices: UFO Files	22-7
22.6	Warm Starts with Elastic Assignment	22-12
22.7	Advantages of Kick-Starts	22-12
22.8	Version Control	22-13
23.	Kick Starts: Updating, Warm Starts and Continuation Techniques	23-1
23.1	Introduction to Kick Starts	23-1
23.2	Review of Traditional Kick Start Options	23-2
23.3	Warm Starts (WSTART = T)	23-4
23.4	WSTART with Topologically Identical Networks and Matrices	23-6
23.5	WSTART with Altered Networks and/or Matrices: UFO Files	23-7
23.6	Warm Starts with Elastic Assignment	23-12
23.7	Advantages of Kick-Starts	23-12
23.8	Version Control	23-13
24.	INDEX	24-1
24.1	Version Control	24-26